

# 56 Prof. Chunjing Wei



Chunjing Wei  
Peking University  
E-mail: cjwei@pku.edu.cn

## Education

B.A. Regional Geology, Jilin University, Changchun, China, 1983  
M.A. Petrology, Jilin University, Changchun, China, 1986  
Ph.D. Petrology, Peking University, Beijing, China, 1992

## Work Experience

Associate Professor, University of Science and Technology of China, 1993.9-2001.7  
Professor, Peking University, 2001.8-present

## Services&Awards

Board Member: Geoscience Frontiers(Geosci Front), Acta Petrologica Sinica, Journal of Metamorphic Geology

## Major Publications

- Qian, J. H., Wei, C. J., Zhou, X, W., et al., 2013. Metamorphic PTpaths and New Zircon UPb age data for garnet-mica schist from the Wutai Group North China Craton. *Precambrian Research* 233:282-296.
- Tian, Z.L., Wei, C.J., 2013. Metamorphism of ultrahigh-pressure eclogites from the Kebuerte Valley, South Tianshan, NW China: phase equilibria and PT path. *Journal of Metamorphic Geology* 31:281-300.
- Qian, J.H., Wei, C.J., Zhou, X.W. et al., 2012. Genesis of the megacryst orthoamphibole rock from Hengshan Mts Shanxi Province: Evidence from geochemistry and Sm-Nd isotopic data. *Acta Petrologica Sinica* 28(9):2819~2830 in Chinese with English abstract
- Wei, C. J., Clarke, G. L., 2011. Calculated phase equilibria for MORB compositions: a reappraisal of the metamorphic evolution of lawsonite eclogite. *Journal of Metamorphic Geology*
- Wei, C. J., Li Y. J., Yu Y., et al., 2010. Phase Equilibria and Metamorphic Evolution of Glaucophan-bearing UHP Eclogites from the western Dabie Shan terrane, Central China. *Journal of Metamorphic Geology*.
- Tian, W., Wei, C.J., Chen, M. M., et al., 2010. Discovery of granulite xenoliths from Xikeer, Tarim, Northwest China and its geological implications. *Acta Petrologica Sinica* 26(2): 573-583
- Wei, C. J., Yang, Y., Su, X. L., et al., 2009. Metamorphic evolution of low-T eclogite from the north Qilian orogen, NW China: Evidence from petrography and calculated phase equilibria in system NCKFMASHO. *Journal of Metamorphic Geology*. 27, 55-70.
- Chu, H., Wei, C. J., Su, S. G., 2009. Phase equilibria of the HP-UHP mica schist from Jiangling, eastern Dabie Mountains. *Progress in Natural Science*. 19, 973-982.
- Lou, Y.X., Wei, C.J., Chu, H., et al., 2009. Metamorphic evolution of high-pressure eclogite from

- Hongan, Western Dabie Orogen, central China: Evidence from petrography and calculated phase equilibria in system Na<sub>2</sub>O-CaO-K<sub>2</sub>O-FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-O(Fe<sub>2</sub>O<sub>3</sub>). *Acta Petrologica Sinica*, 25(1): 124-138.
- Wang, W., Wei, C. J., Wang, T., et al., 2009. Confirmation of pelitic granulite in the Altai orogen and its geological significance, *Chinese Science Bulletin*, 54(14): 2543-2548
- Zhang, J. S., Wei, C. J., Lou, Y.X., et al., 2009. Phase Equilibria of Hornblende-bearing Eclogites in Western Dabie Mountains, Central China. *Acta Geologica Sinica*. 83(1): 57-69.
- Wei, C.J., Su, X.L., Lou, Y.X., et al., 2009. A new interpretation of the conventional thermobarometry in eclogite: evidence from the calculated PT pseudosections. *Acta Petrologica Sinica*, 25(09):2078-88
- Wei, C. J., Wang, W., Clarke, G., et al., 2009. Metamorphism of High/ultra High-pressure Pelitic - felsic Schist in the South Tianshan Orogen, NW China: Phase equilibria and PT path. *Journal of Petrology*. 50(10): 1973-1991.
- Zhang, L., Han, B. F., Wei, C. J., 2009. Cumulate hornblendite enclaves in dioriteporphyrite intrusions from the Shuangyashan, Northeast China, and implications for the transition from lower crust to upper mantle in subduction setting. *International Journal of Earth Science (Geol Rundsch)*.
- Wei, C. J., Song, S. G., 2008. Chloritoid glaucophane schist in the north Qilian orogen, NW China: phase equilibria and PT path from garnet zonation. *Journal of Metamorphic Geology*, 26: 301316.
- Zhou, X. W., Zhao, G. C., Wei, C. J., et al., 2008. EPMA U-Th-Pb monzonite and SHRIMP U-Pb zircon geochronology of high-pressure pelitic granulite in the Jiaobei Massif of the North China Craton, *American Journal of Science*. Vol 308, 328-350.
- Wei, C. J., Zhang, Y. H., 2008. Phase transition in the subducted oceanic lithosphere and generation of the subduction zone magma. *Chinese Science Bulletin*, 53(23): 3603-3614.
- Wei, C. J., Clarke, G., Tian, W., et al., 2007. Transition of metamorphic series from the Kyanite-to andalusite-types in the Altai orogen, Xinjiang, China: evidence from petrography and calculated KMnFMASH and KFMASH phase relations. *Lithos*. 96: 353-374.
- Zhu, W. P., Wei, C. J., 2007. Thermodynamic modelling of the Phengite Geobarometry, *Science in China, (D)*, 50(7): 1033-1039.
- Wei, C. J., Wang, W., 2007. Phase equilibria on the anatexis in high-grade metapelites. *Earth Science Frontiers*, 34(1), English Version.
- Li, X. P., Zhang, L. F., Wei, C. J., et al., 2007. Petrology of rodingite derived from eclogite in western Tianshan. China, *Journal of Metamorphic Geology* 25, 363382.
- Song, S.G., Ji, J.Q., Wei, C.J., et al., 2007. Early Paleozoic granite in Nujiang River of northwest Yunnan in SW China and its tectonic implications. *Chinese Science Bulletin*, 52 (17), 2402-2406.
- Song, S. G., Zhang, L. F., Niu, Y. L., et al., 2007. Eclogite and carpholite-bearing meta-pelite in the North Qilian suture zone, NW China: implications for Paleozoic oceanic subduction, *Journal of Metamorphic Geology*. 25, 547563.
- Wei, C.J., Zhu, W.P., 2007. Progress in the study of phengite geobarometry. *Geological Bulletin of China*, 26(9): 1123-1130
- Wei, C. J., Powell, R., 2006. Calculated Phase Relations in the System NCKFMASH (Na<sub>2</sub>O-CaO-K<sub>2</sub>O-FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O) for High-Pressure Metapelites. *Journal of Petrology*,

47(2): 385-408.

- Zhou, X. W., Wei, C. J., Zhang, S. K., 2006. Implications of micro-compositions of garnet and biotite from high-grade meta-pelites. *Progress in Natural Science*, 16(2): 209-214.
- Zhang, J.S, Wei, C.J., Zhou, X.W., 2006. Phase equilibria of glaucophane- and kyanite-bearing eclogites in the UHP belt of western Dabieshan. *Acta Petrologica Sinica*, 2292861-74
- Zhou, X. W, Wei, C.J., Geng, Y. S. et al., 2005. Electron microprobe monazite dating and constraints on multiple metamorphism of low pressure pelitic granulite from the Jingshan Group of Jiaobei massif. *Chinese Science Bulletin*, 501009 - 1015.
- Tian, W., Wei, C. J., 2005. The Calidonian low Al-TTD series from the Northern Qinling Orogenic Belts: rock properties, genetic simulation and geological implication, *Science in China (D)*, 48(11): 1837-1847.
- Zhao, Z. Y., Wei, C. J., Fang, A. M., 2005. Plastic flow of coesite eclogite in a deep continent subduction regime: microstructures, deformation mechanisms and rheologic implications. *Earth and Planetary Science Letters*, 237. 209-222.
- Chen, Y., Wei, C.J., Zhang, J.S., et al., 2005. Phase equilibria of mica-schists and gneisses in the HP-UHP belts of Southern Dabie Shan. *Acta Petrologica Sinica*, 21(6): 1657-1668.
- Wei, C. J., Powell, R., 2004. Calculated Phase Relations in High-Pressure Metapelites in the System NKFMAH (Na<sub>2</sub>O-K<sub>2</sub>O-FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O) with Application to Natural Rocks, *Journal of Petrology* 44, 183-202
- Liu, X., Wei, C., Li, S., et al., 2004. Thermobaric structure of a traverse across western Dabieshan: implications for collision tectonics between the Sino-Korean and Yangtze cratons. *Journal of Metamorphic Geology*, 22, 361379.
- Wei, C. J., Powell, R., Clarke, G. L., 2004. Calculated phase equilibria for low-and medium-pressure metapelites in the KFMASH and KMnFMASH systems. *J. Metamorphic Geol.* 22, 495508.
- Zhou, X. W., Wei, C. J., Geng, Y. S., et al., 2004. Discovery and implications of the high-pressure pelitic granulite from the Jiaobei massif. *Chinese Science Bulletin*, 49 (18): 19421948.
- Wei, C. J., Powell, R., Zhang, L. F., 2003. Eclogites from the south Tianshan, NW China: petrologic characteristic and calculated mineral equilibria in the Na<sub>2</sub>O-CaO-FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O system. *Journal of Metamorphic Geology*. 21163179.
- Wei, C. J., Powell, R., 2003. Phase relations in high-pressure metapelites in the system KFMASH (K<sub>2</sub>O-FeO- MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O) with application to natural rocks. *Contribution to Mineralogy and Petrology*. 145: 301-315
- Zhou, X. W., Wei, C. J., Dong, Y. S., et al., 2003. Characteristics and genetic implications of diffusion zoning in garnet from Al-rich rock series of the Jingshan Group in North Jiaodong. *Acta Petrologica Sinica*, 19 (4): 752 760.
- Wei, C. J., 2003. Using contemporary education strategies to improve teaching and learning in petrology courses at Peking University. In: M. Peat & M. King eds. *The China Papers*. 84-89. The University of Sydney.
- Chen, B, Jahn, B.M, Wei, C.J, 2002. Petrogenesis of Mesozoic granitoids in the Dabie UHP complex, central China: trace element and Nd-Sr isotope evidence. *LITHOS* 60 (1-2): 67-88
- Wei, C. J., Zhang, C. G., Zhang, A. L., et al., 2001. Metamorphic P-T conditions and geological significance of high-pressure granulite from the Jianping complex, western Liaoning province. *Acta Petrologica Sinica*, 17(2) : 269- 282

- Wei, C.J., Zhang, L.F., Wang, S.G., 2001. Mesozoic High-K granitic rocks from the eastern Dabie Mountains, Central China and their geological implications. *Science in China (D)*, 43(6):525-534.
- Wei, C.J., Yang, C.H., Zhang, S.G., 1999. Metamorphism of the east sector of the southern Qinling orogenic belt and its geological significance. *Acta Geologica Sinica*. 73(1): 65-77.
- Wei, C.J., Wu, Y.X., Ni, Y.Y., et al., 1999. Characteristics and geological significance of the eclogites from the Tongbai Mountains, Henan Provinces, *Chinese Science Bulletin*, 44(22): 2076-2079.
- Wei, C.J., Shan, Z.G., Zhang, L.F., 1999. Orogenic model of eastern Dabie Mountains, Central China. *Journal of Geoscientific Research in Northeast Asia*. 2(1): 21-33.
- Zhang, L.F., Jiang, W.B., Wei, C.J., et al., 1999. Discovery of deerite from the Aksu Precambrian blueschist terrane and its geological significance. *Science in China (D)* 42:233-239.
- Wei, C.J., Shan, Z.G., Zhang, L.F., et al., 1998. Determination and geological significance of the eclogites from the northern Dabie Mountains, central China. *Chinese Science Bulletin*, 43(3): 253-256.
- Wei, C.J., Yang, C.H., Zhang, S.G., et al., 1998. Discovery of granulite from the Fuping area in southern Qinling Mountains and its geological significance. *Chinese Science Bulletin*, 43 (16): 1358-1361.
- Zhang, S.G., Wei, C.J., Zhao, Z.R., et al., 1996. Formation and metamorphic evolution of the Douling complex from the east Qinling Mountains, *Science in China (D)*, 39 (Supp.):80-86.
- Wei, C.J., 1995. Metamorphism of the Bikou Group in the Shaanxi-Gansu-Sichuan border region. *Acta Geologica Sinica*. 8(1): 53-68.